

Shamir FreeFrame™

Product Availability and Markings

Material	Index	Power Range	Nominal Base Curve*	Add	Color	Fitting Height	Invisible Marking
Hard Resin	1.498	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	0.75 to 4.00	Clear	11mm and up	15 S 6θ 250
Transitions®	1.5	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	0.75 to 4.00	Gray & Brown	11mm and up	TR S 6θ 250
Transitions® XTRActive™	1.5	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	0.75 to 4.00	Gray	11mm and up	X5 S 6θ 250
Polarized	1.498	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	0.75 to 4.00	Gray & Brown	11mm and up	PZ S 6θ 250
Drivewear®	1.5	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	0.75 to 4.00	Drivewear®	11mm and up	DW S 6θ 250
DLC™ (Trivex)	1.53	-13.25 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 4.00	Clear	11mm and up	TX S 6θ 250
DLC™ (Trivex) Transitions®	1.53	-13.25 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 4.00	Gray & Brown	11mm and up	TTX S 6θ 250
DLC™ (Trivex) Polarized	1.53	-13.25 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 4.00	Gray & Brown	11mm and up	PTX S 6θ 250
1.56	1.56	-14.00 to +6.50	0.5, 2, 3, 4, 5, 6, 7	0.75 to 4.00	Clear	11mm and up	56 S 6θ 250
Polycarbonate	1.586	-14.75 to +6.50	0.5, 2, 3, 4, 5.25, 6.25, 7.5	0.75 to 4.00	Clear	11mm and up	PC S 6θ 250
Polycarbonate Transitions®	1.586	-14.75 to +6.50	0.5, 2, 3, 4, 5.25, 6.25, 7.5	0.75 to 4.00	Gray & Brown	11mm and up	PT S 6θ 250
Polycarbonate Transitions® XTRActive™	1.586	-14.75 to +6.50	0.5, 2, 3, 4, 5.25, 6.25, 7.5	0.75 to 4.00	Gray	11mm and up	PX S 250

* The true base curve can be selected from a range of curves that has been defined in the Freeform Software.



ReCreating Perfect Vision®

Shamir FreeFrame™

Product Availability and Markings

Material	Index	Power Range	Nominal Base Curve*	Add	Color	Fitting Height	Invisible Marking
Polycarbonate Polarized	1.586	-14.75 to +6.50	0.5, 2, 3, 4, 5.25, 6.25, 7.5	0.75 to 4.00	Gray & Brown	11mm and up	PPZ S 60 250
Polycarbonate Drivewear®	1.586	-14.75 to +6.50	0.5, 2, 3, 4, 5.25, 6.25, 7.5	0.75 to 4.00	Drivewear®	11mm and up	PD S 60 250
Superlite™ 1.6	1.6	-15.00 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 4.00	Clear	11mm and up	16 S 60 250
Superlite 1.6 Transitions®	1.6	-15.00 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 4.00	Gray & Brown	11mm and up	T6 S 60 250
Superlite 1.6 Transitions® XTRActive™	1.6	-15.00 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 4.00	Gray	11mm and up	X6 S 60 250
Superlite 1.6 Polarized	1.6	-15.00 to +6.00	0.5, 2, 3, 4, 5, 6, 7	0.75 to 4.00	Gray & Brown	11mm and up	PZ6 S 60 250
Superlite 1.67	1.67	-16.75 to +8.25	0.5, 2, 3, 4, 5, 6, 7, 8	0.75 to 4.00	Clear	11mm and up	67 S 60 250
Superlite 1.67 Transitions®	1.67	-16.75 to +8.25	0.5, 2, 3, 4, 5, 6, 7, 8	0.75 to 4.00	Gray & Brown	11mm and up	T67 S 60 250
Superlite 1.67 Transitions® XTRActive™	1.67	-16.75 to +8.25	0.5, 2, 3, 4, 5, 6, 7, 8	0.75 to 4.00	Gray	11mm and up	X67 S 60 250
Superlite 1.67 Polarized	1.67	-16.75 to +8.25	0.5, 2, 3, 4, 5, 6, 7, 8	0.75 to 4.00	Gray & Brown	11mm and up	PZ67 S 60 250
Superlite 1.74	1.74	-18.75 to +15.50	0.5, 1.5, 2.5, 3.5, 4.75, 6, 7.25, 8.25, 9, 9.75, 10.5, 11.25, 12	0.75 to 4.00	Clear	11mm and up	74 S 60 250

* The true base curve can be selected from a range of curves that has been defined in the Freeform Software.



ReCreating Perfect Vision®